MINERAL SURVEY No. 3543

		Arizona	Land District.
		IELD NOTE	
	OF THE ST	URVEY OF THE MINING O	CLAIM OF
	Chas Rambo, W	. A. Schwartz and H	Emil Marks
		KNOWN AS THE	
		BUNKER HILL lode	
		Warren	
	Cochise	County,	Arizona
		ions dated August 3	., Range 24 E. G & S R B & M. Oth , 1918.
		by Ralph	L. Motz
			U. S. Mineral Surveyor.
	Claim located See	e location notice a	ttached, 19
	Survey commenced	September 6th	, 1918.
	Survey completed	September 7th	, 1918.
	Address of claima	nt's attorneys: Box 59	. Flanigan & Murry, 9. Bisbee, Arizona.
	DATES	OF AMENDED LOCATION	ONS.
-822	***************************************		***************************************

BUNKER HILL. lode

Beginning at Cor. No. 1, the S. W. Cor., identical with location and with the northeast corner of R A.M. No. 5 lode unsurveyed, and situated on line 3-4 Sur. No. 2094 West Bisbee No. 7 lode at N. 35° 30' E. 296.5 ft. from Cor. No. 3, a pine post 4 ft. long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-3543 B H, whence a limestone ledge with 18 x 25 x 3 inch high exposure chiseled B R x 1-3543 bears S. 10° 10' E. 9.2 ft., and a second limestone ledge with 16 x 16 x 3 inch high exposure with like chiseling bears N. 47° 32' W. 21.1 ft. The 1/4 Cor. between Secs. 19 and 30, T. 23 S., R. 24 E. G & S R B & M bears S. 11° 56' E. 5047.6 ft.

thence N. 48° 09' W.

- 300.0 along the north line of R.A.M.No. 5 lode, unsurveyed to original location for the west end center, being a mound of stones 3 feet high with a 3 foot base,
- 540.0 intersect line 3-4 Sur. No. 3450 Vesuvius No. 1 lode at N. 24° W. 309.9 ft. from Cor. No. 4,
- 600.0 to Cor. No. 2, the N. W. Cor., identical with location, a pine post 4 ft. long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-3543 B H, whence the northwest corner of R A M No. 5 lode unsurveyed bears N. 48° 09' W. 4.0 ft.

thence N. 48° 05' E.

- 25.8 to the southwest corner of Santa Barbara lode, unsurveyed, also intersect line 3-4 Sur. No. 3450 Vesuvius No. 1 lode at N. 24° W. 372.6 ft. from Cor. No. 4.
- to Cor. No. 3, the N. E. Cor., identical with location and with Cors. No. 4, 1, the northwest and southeast corners of Sur. No. 3466 Statehood No. 1 lode, Sur. No. 3533 Angelus lode, Buena Vista lode and Santa Barbara lode, unsurveyed, respectively, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3543 B H, whence a limestone ledge with 12 x 19 x 5 inch high exposure chiseled B R x 3-3543 bears N. 35° 12' E. 53.4 ft., and a second limestone ledge with 17 x 34 x 11 inch high exposure with like chiseling bears

stelling tas

S. 89° 55' E. 37.1 ft.

MINERAL SURVEY NO. 3543.

BUNKER HILL LOWG

thence S. 48° 09' E.

- 135.3 to original location for east end center being a mound of stones 3 feet high with a 3 foot base.
- 270.7 to Cor. No. 4, the S. E. Cor., identical with location and with Cors. No. 4, 3 and the southwest corner of Sur. No. 2094 West Bisbee No. 4 lode, Sur. No. 2094 West Bisbee No. 8 lode and Buena Vista lode unsurveyed, respectively, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3543 B H, whence a porphyry ledge with 45 x 49 x 28 inch high exposure chiseled B R x 4-3543 bears S. 55° 23' E. 22.15 feet, and a second porphyry ledge with 34 x 34 x 21 inch high exposure with like chiseling bears N. 32° 37! W. 10.6 ft. The 1/4 Cor. between Secs. 18 and 19, T. 23 S., R. 24 E. G & S R B & M bears S. 11° 36' E. 908.3 ft.

thence S. 35° 30' W. toggathi 0.012

- 600.0 along line 4-3 Sur. No. 2094 West Bisbee No. 4 lode to Cors. No. 3 and 4 of Sur. No. 2094 West Bisbee No. 4 and West Bisbee No. 3 lodes, respectively.
- 1200.0 along line 4-3 Sur. No. 2094 West Bisbee No. 3 lode to Cors. No. 3 and 4 of Sur. No. 2094 West Bisbee No. 3 and West Bisbee No. 7 lodes, respectively,
- 1503.5 to Cor. No. 1, the place of the beginning.

LEDGE.

Senta Barbara lode, un urveye The presumed course of the vein on this claim is from the east end center S. 41° 47' W. 1494.3 ft.

noits pol diw lantingti .. To of . and . of . of . To of 1. Eogli

- - - - - - 14.934 A. Total area of Bunker Hill lode- -Area in conflict with

Sur. No. 3450 Vesuvius No. 1 lode- 0.018 A. LOCATION.

This survey is located in Secs. 18 and 19, unapproved, T. 23 S., R. 24 E. G & S R B & M. in the Warren Mining District, Cochise County, Arizona.

35° 12' E. 53:4 ft., and a second limestone ladge with

17 x 34 x 11 inch high exposure with like chiseling bears

IMPROVEMENTS.

I hereby certify that the value of the labor and improvements
/placedon this claim by the claimants or their grantors is not less than five hundred dollars and that said improvements consist of:-

- No.1. Discovery open cut 4 x 7 x 16 ft. long brg
 S. 75° 30' E. in bottom is shaft 4 x 14 x
 3 ft. deep, face of open cut bears from west
 end center on lode line 590.0 ft. Value \$125.00
- No.2. Open cut 5 x (2-9) x 15 ft. long brg N. 58° E., the mouth of which bears from west end center on lode line 590.0 ft. Value \$100.00
- No.3. Open cut 4 x 7 x 16 ft. long brg S. 81° E, in bottom is shaft 4 x 14 x 3 ft. deep, mouth of open cut bears from west end center on lode line 552.5 ft. Value \$125.00
- No.4. Open cut 4 x 7 x 7 ft. long brg N. 59° 30'
 E. in bottom is shaft 4 x 7 x 1 ft. deep,
 mouth of open cut bears from west end center
 on lode line 620.4 ft. Value \$ 35.00
- No.5. Open cut 4 x 8 x 18.5 ft. long brg N.36° E, the mouth of which bears from Cor. No. 3
 S. 46° 45' W. 946.3 ft. Value \$ 85.00
- No.6. Open cut 11 x 2 x 15 ft. long, brg N. 39° E. in bottom is shaft 5 x 6 x 6 ft. deep, mouth of open cut bears from Cor. No. 2, N. 59° 12' E. 260.0 ft. Value \$ 80.00

Total value of improvements \$550.00

ADJOINING CLAIMS.

- North. Santa Barbara lode, unsurveyed, owned by W. Schwartz et al. Buena Vista lode, unsurveyed, owned by Chas. Rambo.
- East. Sur. No. 2094 West Bisbee No. 4 lode, West Bisbee No. 3 lode and West Bisbee No. 7 lode.
- South. R A M No. 5 lode, unsurveyed, owned by F.E.Shine, Emil Marks and James Letson.

 West. Sur. No. 3450 Vesuvius No. 1 lode.

INSTRUMENT.

This survey was made with a Gurley Light Mountain transit. The courses were deflected from the true meridian as determined for Surveys No. 3450 and 3466. The distances were measured with 100 and 300 foot sted tapes. Magnetic variation 12° 30' East at all corners.

REPORT.

The 1/4 Cor. between Secs. 19 and 30. T. 23 S., R. 24 E. is a porphyry rock $7 \times 9 \times 9$ inches above ground chiseled 1/4 on north face.

The 1/4 Cor. betweeh Secs. 18 and 19. T. 23 S., R. 24 E is an iron pipe with copper cap. (This corner is unapproved.)

All corners of adjoining approved surveys are posts properly set and scribed.

Bisbee, Arizona. July 5,1919.

O.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individue	ds employed by Ralph L. Motz
United States Mineral Surveyor, to assi	ist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing fie	eld notes of the survey of the mining claim of
Chas. Rambo, W. A. So	chwartz and Emil Marks
	R HILL lode
and showing the respective capacities in	
	K. S. Adams , Chainman.
	, Chainman.
	, Aoman.
	, Flagman.
FINALOA	THE OF ACCIONANTS
	THS OF ASSISTANTS.
WE I. K. S. Adams	T
900	, do solemnly swear that assisted
Ralph L. Motz , United	States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	Chas. Rambo. W. A. Schwartz and
Emil Marks	
known as the BUNKER	HILL lode
represented in the foregoing field notes a	s having been surveyed by said mineral surveyor and under his
	my n all respects, to the best of knowledge and belief, faithfully
	coundary monuments established according to law and the instruc-
	yor-General for Arizona
	K'S, adame, Chainman.
	·, Chainman.
	, Axman.
	, Flagman
Subscribed and sworn	to by the above-named person before me this 5th
day of	11y , 19 19.
	Charles R. Woods
	Notary Public in and for the County of Cochise, State of Arizona.
	My commission expires May 2374,1921

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Ralph L. Motz.	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance	e of instructions received from the United States
Surveyor General for	Arizona , dated
August 30th, 1918	, I have, in strict conformity to the laws of the
United States, the official regulations	and instructions thereunder, and the instructions
	and correctly executed the survey of the Mining
	Schwartz and Emil Marks
	, known as the
	BUNKER HILL lode
situate in	Warren Mining District,
Cochise	County, Arizona , in Sections
18 & 19 Unap Hownship No. 23 S.	, Range No. 24 E. G & S R B & M
and designated as Survey No.	3543 as represented
	urately show the boundaries of said mining claim
	the ground, and described in the attached copy
	received by me from the Surveyor General with
	ers of said survey have been established and per-
	e law, official regulations and instructions there-
	ear that the foregoing are the true and original
	port therein, and that the labor expended and
	claim by claimantsor their grantors
	he character, extent, location, and itemized value
	icularity and full detail, and that no portion of
said labor or improvements so credited	to this claim has been included in the estimate
	Raysh R. Mob U. S. Mineral Surveyor.
Subscribed and sworn to by the sai	d Ralph L. Motz
	e Charles R. Woods, Notary Public
	this 5th
day of July , 1	
	Blaslys R. Woods
a_1044	Notary Public in and for the County of Cochise, State of Arisona. My commission expires May 23rd 1021
6—1044	My commission expires Now 27md 1021

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,	
		October 2 , 1919
I, U. S. Surveyor-Gen	eral for Distr	ict of Arizona,
do hereby certify that the	foregoing transcript of the F	field Notes, return and approval of the survey
		Schwartz and Emil Marks
		lode
situate in	Warren	
Mining District,	Cochise Unapp'd)	County, Arizona,
in Sections 18 & 19	, Township No. 23 S.	, Range No. 24 E. G&SRB&M, and
designated as Survey No	3543 , has been	n correctly copied from the originals on file in
this office; that said Field	Notes furnish such an accur	rate description of said mining claim as will, if
incorporated into a patent,	serve fully to identify the pre	emises, and that such reference is made therein
to natural objects or perma	ment monuments as will perp	petuate and fix the locus thereof.
And I further certify	that five hundred dollars' w	orth of labor has been expended or improve-
		neir grantors, and that said improvements
		value \$550.

and that no portion of said	l labor or improvements has	been included in the estimate of expenditures
upon any other claim.		
I further certify that the	he plat thereof, filed in the U	. S. Land Office atPhoenix,
Arizona	is correct and in conform	nity with the foregoing Field Notes.
	(<u>s</u>)	Frank P. Trott.
	United States Surneyor	General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix,	Arizona,
	October 2 , 1919
I, U. S. Surveyor-General for	District of Arizona,
do hereby certify that the foregoing and hereto at	tached Field Notes and Return of the Survey of the
	Schwartz and Emil Marks
	, known as the
BUNKER HILL lode	
situate in Warren	mining district,
	inty, Arizona,
(Unapp'd) in Section s 18 & 19 , Township No	23 S. , Range No. 24 E.
G&SRB&M , designated as Survey No	3543
executed by Ralph L. Motz	, United States Mineral
Surveyor, September 6-7	, 191 8, under my instructions dated
August 30 , 191_8, h	ave been critically examined and the necessary cor-
rections and explanations made, and the said Fiel	d Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of	the location certificate filed by the applicant for
survey is included in the field notes.	
	Grand Potrost
6—3824	U. S. Surveyor-General for Arizona.